

# List of Plants

## ALLO-AROMADENDRENE

Chemid

ALLOAROMADENDRENE

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Plant Part	Low PPM	High PPM	StdDev	*Reference
Acinos alpinus	Shoot	--	4.5	-0.18	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Acinos alpinus	Shoot	--	4.5	-0.18	Velasco-Negueruela,A., Perez-Alonso,M.J., Jiminez,S.M. and Garcia,F.M. 1993. The Volatile Constituents of Acinus alpinus (L.) Moench ssp. meridionalis (Nyman). P.W. Ball Growing in Spain. Flav. & Frag. J. 8:127-130.)
Aloysia citrodora	Plant	4.0	28.0	-0.61	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Artemisia annua	Leaf	60.0	3380.0	0.58	*
Artemisia pallens	Plant	6.0	29.0	-0.59	*
Boswellia sacra	Essential Oil	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Cannabis sativa	Essential Oil	--	--		*
Cannabis sativa	Resin, Exudate, Sap	--	--		*
Cannabis sativa	Plant	--	--		Turner, C. E., El Sohly, M. A., Boeren, E. G. 1980. Constituents of Cannabis sativa L. XVII. A Review of the Natural Constituents. J Natural Products, 432: 169-234.
Cannabis sativa	Leaf Essent. Oil	--	--		*
Carthamus tinctorius	Bud	--	0.01		*
Copaifera spp	Gum	--	--		*
Elsholtzia polystachya	Leaf	--	6.0	-0.2	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elsholtzia polystachya	Leaf	--	6.0	-0.2	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Eucalyptus bosistoana	Shoot	--	250.0	0.14	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus angulosa	Leaf	--	35.0	-0.19	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson,J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus globulus	Essential Oil	--	--		*
Eucalyptus melanophloia	Leaf	--	49.0	-0.19	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus odorata	Leaf	--	26.0	-0.2	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus punctata	Shoot	--	0.1	-0.19	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven Eucalyptus Species Grown in Morocco. Journal of Essential Oil Res. 4: 259-264.
Eucalyptus ochrophloia	Leaf	--	4.0	-0.2	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus. Part VI. Subgenus Symphyomyrtus, Section Adnataria. Flavour and Fragrance J. 10(6):359-364
Eucalyptus tetraptera	Leaf	--	440.0	-0.1	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson,J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus Eucalyptus.Part I.Subgenus Symphyomyrtus,Section Dumaria,Series Incrassatae.Flavour and Fragrance J.9(3):113-7
Eucalyptus	Shoot	--	30.0	-0.15	Zrira, S. S., Benjlali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven

<i>Eucalyptus oviformis</i>	Shoot	--	0.1	-0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus cuprea</i>	Leaf	--	80.0	-0.18	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus melliodora</i>	Shoot	--	0.1	-0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus populnea</i>	Leaf	--	35.0	-0.19	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus incrassata</i>	Leaf	--	470.0	-0.09	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson,J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus ceratocorys</i>	Leaf	--	39.0	-0.19	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson,J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus erythrandra</i>	Leaf	--	135.0	-0.17	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson,J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus dealbata</i>	Shoot	--	35.0	-0.14	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus botryoides</i>	Shoot	--	6.0	-0.18	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus blakelyi</i>	Shoot	--	60.0	-0.11	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus albens</i>	Shoot	--	0.1	-0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus leucoxydon</i>	Leaf	--	445.0	-0.1	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus globulus</i>	Leaf Essent. Oil	2000.0	8000.0	-0.96	*
<i>Eucalyptus viridis</i>	Leaf	--	30.0	-0.2	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus siderophloia</i>	Shoot	--	8.0	-0.18	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus porosa</i>	Leaf	--	420.0	-0.11	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus polyanthemos</i>	Shoot	--	17.0	-0.16	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus intertexta</i>	Leaf	--	31.0	-0.2	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus tereticornis</i>	Shoot	--	135.0	-0.01	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus occidentalis</i>	Shoot	--	125.0	-0.02	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus largisparsa</i>	Leaf	--	305.0	-0.13	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus maideni</i>	Shoot	--	45.0	-0.13	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus globulus</i>	Shoot	--	6000.0	7.7	*
<i>Eucalyptus cladocalyx</i>	Shoot	--	5.0	-0.18	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus camaldulensis</i>	Shoot	--	60.0	-0.11	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus dolichorhyncha</i>	Leaf	--	190.0	-0.16	Bignell,C.M.,Dunlop,P.J.,Brophy,J.J.,and Jackson,J.F.1994.Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> .Part I.Subgenus <i>Symphyomyrtus</i> ,Section <i>Dumaria</i> ,Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus nova-anglica</i>	Leaf	415.0	710.0	-0.04	Brophy, J. L., Lassak, E. V., & Boland, D. J. 1992. The Leaf Essential Oils of <i>Eucalyptus nova-anglica</i> . Deane & Maiden. <i>Journal of Essential Oil Res.</i> 4: 29-32.
<i>Eucalyptus</i>	Shoot	--	50.0	-0.12	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven

<i>Eucalyptus fasciculosa</i>	Leaf	--	5.0	-0.2	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus globulus</i>	Fruit Essent. Oil	--	233700.0	1.0	*
<i>Eucalyptus desquamata</i>	Leaf	--	140.0	-0.17	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus saligna</i>	Shoot	--	0.1	-0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus lansdowneana</i>	Leaf	--	75.0	-0.19	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus paniculata</i>	Shoot	--	2.0	-0.18	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus behriana</i>	Leaf	--	10.0	-0.2	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus stoatei</i>	Leaf	--	505.0	-0.09	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus moluccana</i>	Shoot	--	36.0	-0.14	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus sparsa</i>	Leaf	--	670.0	-0.05	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1995. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part VI. Subgenus <i>Symphyomyrtus</i> , Section <i>Adnataria</i> . <i>Flavour and Fragrance J.</i> 10(6):359-364
<i>Eucalyptus maculata</i>	Shoot	--	20.0	-0.16	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus forrestiana</i>	Leaf	--	400.0	-0.11	Bignell, C.M., Dunlop, P.J., Brophy, J.J., and Jackson, J.F. 1994. Volatile Leaf Oils of Some South-western and Southern Australian Species of the Genus <i>Eucalyptus</i> . Part I. Subgenus <i>Symphyomyrtus</i> , Section <i>Dumaria</i> , Series <i>Incrassatae</i> . <i>Flavour and Fragrance J.</i> 9(3):113-7
<i>Eucalyptus citriodora</i>	Shoot	--	0.1	-0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus diversicolor</i>	Shoot	--	0.1	-0.19	Zrira, S. S., Benjilali, B. B., Fechtal, M. M., & Richard, H. H. 1991. Essential Oils of Twenty-seven <i>Eucalyptus</i> Species Grown in Morocco. <i>Journal of Essential Oil Res.</i> 4: 259-264.
<i>Eucalyptus brassiana</i>	Leaf	--	--	-0.2	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Chemical Constituents of the Leaf Essential Oil of <i>Eucalyptus brassiana</i> S. T. Blake. <i>Journal of Essential Oil Res.</i> 3: 45-7.
<i>Humulus lupulus</i>	Fruit	--	77.0	-0.68	*
<i>Hyssopus officinalis</i>	Shoot	--	40.0	-0.13	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	30.0	-0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	20.0	-0.16	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	20.0	-0.16	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	--		Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	10.0	-0.17	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	20.0	-0.16	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	70.0	-0.1	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	30.0	-0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Hyssopus officinalis</i>	Shoot	--	30.0	-0.15	Kerrola, K., Galambosi, B. and Kallio, H. 1994. Volatile Components and Odor Intensity of Four Phenotypes of Hyssop ( <i>Hyssopus officinalis</i> L.) J. Agric. Food Chem. 42: 776-781.
<i>Illicium verum</i>	Fruit	--	1050.0	-0.4	*
<i>Laurus nobilis</i>	Leaf	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Ledum palustre</i>	Leaf	--	--		*
<i>Leptospermum scoparium</i>	Essential Oil	--	--		*
<i>Melaleuca alternifolia</i>	Essential Oil	--	6900.0	1.0	*

Melaleuca alternifolia	Leaf	43.0	112.0	-0.10	*
Melaleuca alternifolia	Root Essent. Oil	--	500.0	-1.0	*
Mentha aquatica	Shoot	--	1.0	-0.19	Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogekagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot	--	16.0	-0.17	Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogekagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot	--	3.0	-0.18	Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogekagaku Kaishi 67(10): 1417-1419.
Mentha aquatica	Shoot	--	1.0	-0.19	Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogekagaku Kaishi 67(10): 1417-1419.
Mentha longifolia	Shoot	--	380.0	0.31	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Mentha aquatica	Shoot	--	2.0	-0.18	Umamoto, K., Arai, T., Nii, H. and Furukawa, K. 1993. A New Chemotype of Mentha aquatica Containing Sesquiterpene Alcohols as Major Components. Nippon Nogekagaku Kaishi 67(10): 1417-1419.
Metrosideros sclerocarpa	Leaf	7256.0	29024.0	6.51	*
Metrosideros nervulosa	Leaf	--	500.0	-0.09	*
Myrrhis odorata	Leaf Essent. Oil	--	15500.0	1.38	*
Ocimum gratissimum	Shoot	--	295.0	0.2	Vostrowsky, O., Garbe, W., Bestmann, H.J. and Maia, J.G.S. 1990. Essential Oil of Alfavaca, Ocimum gratissimum, from Brazilian Amazon. Zeitschr. Naturforschung 45(C): 1073-6.
Ocimum gratissimum	Plant	1.0	5.0	-1.14	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum majorana	Essential Oil	--	--		*
Origanum majorana	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum vulgare	Plant	18.0	120.0	1.52	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum vulgare	Shoot Essent. Oil	--	800.0		*
Origanum minutiflorum	Shoot	9.0	22.0	-0.16	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of Origanum minutiflorum O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
Panax ginseng	Flower Essent. Oil	--	--		*
Panax ginseng	Plant	--	--		*
Panax ginseng	Shoot	--	--		*
Panax ginseng	Root Essent. Oil	--	--		*
Panax ginseng	Shoot Essent. Oil	--	--		*
Pimenta dioica	Leaf	--	12.0	-0.2	*
Pimenta dioica	Fruit	--	204.0	-0.64	*
Pimenta dioica	Leaf Essent. Oil	--	--		*
Piper cubeba	Fruit Essent. Oil	--	50000.0	-1.0	*
Piper cubeba	Fruit	4200.0	8400.0	1.72	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Ptychopetalum olacoides	Root Essent. Oil	--	7000.0	1.0	Uber Bucek, E., Fournier, G., Dadoun, H. 1987. Volatile Constituents of Ptychopetalum olacoides Root Oil. Planta Med. 53, 2: 231.
Pycnanthemum virginianum	Shoot	24.0	116.0	-0.03	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

tenuifolium					
Rosmarinus officinalis	Leaf	--	5.0	-0.2	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaïd, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf	--	4.0	-0.2	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaïd, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Rosmarinus officinalis	Leaf	4.0	5.0	-0.2	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaïd, M.H. 1994. Analysis and Biological Activity of the Essential Oil of Rosmarinus officinalis L. from Egypt. Flavour and Fragrance J. 9: 29-33.
Salvia dorisiana	Shoot	4.0	5.2	-0.18	Tucker, A.O. & Maciarelo, M.J. 1994. The Essential Oil of Salvia dorisiana Standley. J. Ess. Oil Res. 6: 97-8.
Salvia officinalis	Essential Oil	--	1800.0	-1.0	*
Salvia canariensis	Leaf	--	28.0	-0.2	Casnigueral, S., Iglesias, J., Vila, R., Virgili, A. and Ibanez, C. 1994. The Essential Oil from Leaves of Salvia canariensis L. Flav. & Frag. J. 9:201-204. S. Canigueral, Facultat de Farmacia, Universitat de Barcelona, Ave.Diagonal 643,E-08028, Barcelone Spain
Salvia gilliesii	Shoot	--	70.0	-0.1	Velasco-Negueruela, A. et al. 1993. The Essential Oil of Salvia gilliesii Benth. J. Ess. Oil Res. 5: 319-320.
Salvia officinalis	Leaf	15.0	84.0	-0.18	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Sassafras albidum	Leaf	--	--	-0.2	*
Sideritis mugronensis	Leaf	10.0	20.0	-0.2	Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of Sideritis mugronensis Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
Sideritis mugronensis	Flower	1.0	2.0		Manez, S., Jimenez, A., and Villar, A. 1991. Volatiles of Sideritis mugronensis Flower and Leaf. J. Ess. Oil Res., 3: 395-397.
Syzygium aromaticum	Leaf	--	--		Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Teucrium micropodioides	Leaf	--	--	-0.2	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium polium	Shoot	--	0.5	-0.19	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium arduini	Shoot	--	20.0	-0.16	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of Teucrium arduini L. J. Ess. Oil Res. 4: 223-225.
Teucrium cyprium	Leaf	--	--	-0.2	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium salviastrum	Shoot	--	9.5	-0.17	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytocchemistry 29(4): 1165-9.
Teucrium kotschyannum	Leaf	--	65.0	-0.19	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Teucrium oxylepis	Shoot	--	--		Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytocchemistry 29(4): 1165-9.
Teucrium arduini	Shoot	--	20.0	-0.16	Blazevic, N., Kalodera, Z., Petricic, J., and Plazibat, M. 1992. Essential Oil Content and Composition of Teucrium arduini L. J. Ess. Oil Res. 4: 223-225.
Teucrium asiaticum	Shoot	--	1.92	-0.18	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytocchemistry 29(4): 1165-9.
Teucrium pseudoscorodonia	Shoot	--	1.52	-0.19	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytocchemistry 29(4): 1165-9.
Teucrium gnaphalodes	Shoot	--	17.0	-0.16	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian Teucrium Species. J. Ess. Oil Res. 5: 397-402.
Teucrium scorodonia	Shoot	--	1.11	-0.19	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytocchemistry 29(4): 1165-9.
Teucrium oxylepis	Shoot	--	0.96	-0.19	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six Teucrium Species from the Iberian Peninsula and the Balearic Islands. Phytocchemistry 29(4): 1165-9.
Teucrium divaricatum	Leaf	--	15.0	-0.2	Arnold, N., Bellomaria, B., Velentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some Teucrium Species from Cyprus. J. Ethnopharm. 35: 105-113.
Thymus mastichina	Plant	--	90.0	0.82	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus x citriodorus	Shoot	--	21.0	-0.16	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus capitatus	Plant	--	--		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus funkii	Shoot	--	32.0	-0.15	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus zygis	Shoot	--	0.1	-0.19	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Thymus funkii	Shoot	--	32.0	-0.15	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Trichostemma	Shoot	--	15.0	-0.17	Tucker, A.O. and Maciarelo, M.J. 1990. The Essential Oil of Trichostemma dichotomum. J. Ess. Oil Res.

Valeriana officinalis	Root Essent. Oil	--	--		*
Valeriana officinalis	Leaf Essent. Oil	--	9700.0	-0.43	*
Valeriana officinalis	Root	--	195.0		Father Nature's Farmacy: The aggregate of all these three-letter citations.
Vitex agnus-castus	Flower	--	--		Jim Duke's personal files.
Vitex agnus-castus	Leaf	--	0.5	-0.2	Ekundayo, O., Laakso, I., Holopainen, M., Hiltunen, R., Oguntimein, B., and Kauppinen, V. 1990. The Chemical Composition and Antimicrobial Activity of the Leaf Oil of Vitex agnus-castus L. J. Essential Oil Research, 2: 115-119.
Vitex agnus-castus	Fruit	--	--		Jim Duke's personal files.
Zingiber officinale	Rhizome Essent. Oil	--	1400.0		*